

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	51	((interpolat\$5 with (black or k) with value) same (lut or lookup look-up or table)) and ((capacit\$5 or size) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:32
L8	7	7 and ((max or maximum) with ("255" or "256"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:29
L9	18	((interpolat\$5 with (black or k) with value) same (lut or lookup look-up or table)) and ((capacit\$5 or size) with (lut or lookup or look-up or table)) and ((black or k or bk) near4 generat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:40
L10	6	((interpolat\$5 with (black or k or bk) with value) and ((black or k or bk) near3 (lut or lookup look-up or table))) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table)) and ((black or k or bk) near4 generat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:43
L11	2	((interpolat\$5 with (black or k or bk) with value) and ((black or k or bk) near3 (lut or lookup look-up or table))) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table)) and ((black or k or bk) near4 generat\$5) and (difference with (maximum or max) with (min or minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:58
L12	2	((interpolat\$5 with (black or k or bk) with value) and ((black or k or bk) near3 (lut or lookup look-up or table))) and ((black or k or bk) near4 generat\$5) and (difference with (maximum or max) with (min or minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:44
L13	3	((interpolat\$5 with (black or k or bk) with value) and ((black or k or bk) near3 (lut or lookup look-up or table))) and (difference with (maximum or max) with (min or minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:45
L14	158	((interpolat\$5 with (black or k or bk) with value) and ((black or k or bk) near3 (lut or lookup look-up or table)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:45

L15	2	14 and ((address or index or indice) with difference with (max or maximum) with (min or minimum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:46
L16	2	14 and ((address or index or indice) same (difference with (max or maximum) with (min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:46
L17	2	14 and ((address or index or indice) same (difference same (max or maximum) same (min or minimum)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:46
L18	66	14 and ((address or index or indice) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:47
L19	1	18 and ((address or index or indice) with (max or maximum) with ("255" or "256"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:48
L20	1	18 and ((address or index or indice) same (max or maximum) with ("255" or "256"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:49
L21	23	18 and ((address or index or indice) same (max or maximum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50
L22	0	gondek-jay.in. and (conver\$5 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50
L23	0	gondek-jay.in. and (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50
L24	0	gondek-j.in. and (table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50
L25	3	gondek-j.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:50

L26	6	gondek-jay.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:51
L27	50	gondek-jay-s.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:51
L28	4	gondek-jay-s.in. and (conver\$5 with table) and interpolat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:52
L29	0	gondek-j-s.in. and (conver\$5 with table) and interpolat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:52
L30	15	gondek-jay-s.in. and (conver\$5 with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:53
L31	6	30 and ((black or k) with conver\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:52
L32	50	gondek-jay-s.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:54
L33	101316	gondek-jay-s.in. interpolat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:54
L34	101309	gondek-jay-s.in. interpolat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:54
L35	14	gondek-jay-s.in. and interpolat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:54
L36	25	gondek.in. and interpolat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 10:54

L37	21	((interpolat\$5 near3 point) and ((black or k or bk) near3 (lut or lookup look-up or table)) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:52
L38	1	"5113248".pn. and ("6" near4 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:04
L39	0	((interpolat\$5 near3 point) with (integral or multiple)) and ((black or k or bk) near3 (lut or lookup look-up or table)) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:24
L40	0	((interpolat\$5 near3 point) with (integral or multiple)) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:24
L41	0	((interpolat\$5 near3 point) same (integral or multiple)) and ((capacit\$5 or size) with (black or k or bk) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:24
L42	44	((interpolat\$5 near3 point) same (integral or multiple)) and ((capacit\$5 or size) with (lut or lookup or look-up or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:32
L43	1	"6389161".pn. and (siz\$3 with (lut or look-up or lookup or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:34
L44	1	"6389161".pn. and (siz\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:32
L45	1	"6389161".pn. and (siz\$3 with (lut or look-up or lookup or table or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:39
L46	0	"6389161".pn. and (read\$5 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:39

L47	0	"6389161".pn. and (output\$5 near5 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:39
L48	1	"6389161".pn. and (data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:45
L49	0	"6389161".pn. and (interpolat\$5 with integral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:46
L50	2	"6389161".pn. and (interpolat\$5 with grid with point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:21
L51	3	37 and ((max or maximum) near5 ("255" or "256"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 11:52
L52	2	"6389161".pn. and (interpolat\$5 with grid)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:21
L53	1	"6389161".pn. and ((grid with point with lie\$5) same interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:23
L54	1	"6389161".pn. and ((grid with point with between with lie\$5) same interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:23
L55	0	"6389161".pn. and ("256" with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 12:24
L56	1	"6389161".pn. and (corner with interpolat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:04
L57	1	"6499829".pn. and (ucr or under)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:06

L58	0	"09521950".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:06
L59	4	"521950".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:08
L60	0	tabata-sunnao.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:08
L61	18	tabata-sunao.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:09
L62	5	tabata-sunao.in. and (multiply\$6 and divid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:13

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S63	2465	((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))) with (generat\$5 or produc\$5 or process\$5 or output\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:47
S64	31	S63 and ((first near3 ((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color)))) and (second near3 ((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:34
S65	12	S64 and ((difference or subtract\$5) with ((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:25
S66	2	S65 and (divid\$5 with ((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:26
S67	10	S65 and (divid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:26
S68	49	S63 and ((first or second) with ((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))) with component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:35
S69	1	S68 and (divid\$5 with subtract\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:36
S70	1	S68 and (divid\$5 same subtract\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:36
S71	13	S68 and (divid\$5 same component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:36
S72	47	((ucr or (u adj2 c adj2 r) or (undercolor) or under-color or (under adj2 color))) with (divid\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 13:49

S73	28	S72 and (imag\$5 with proces\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:22
S74	5	"883572".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:23
S75	2	"883572".ap. and u2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 16:47
S76	2	"6118550".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:09
S77	1	"6118550".pn. and (discriminat\$5 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:10
S78	1	"6118550".pn. and (discriminat\$5 same photo\$6 same pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:13
S79	1	"6118550".pn. and (address\$5 with "45"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:14
S80	2	"6118550".pn. and ("35"\$2with "45"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:14
S81	0	"6118550".pn. and ("35"\$2 with "45"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:14
S82	1	"6118550".pn. and ("35"\$2 same "45"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 17:14